



Identify what matters

# Zenius



ENHANCED  
VERSATILITY

INCREASED  
PRODUCTIVITY

ECONOMIC  
SOLUTION



PRINTER

# The Centralized Card Production System



The **Quantum** printer is the solution for printing and encoding cards in large volumes. It personalizes the cards front and back, in color or monochrome, with a record printing speed.

**Quantum** combines the feel of a desktop printer with the power of an industrial printer for centralized production of plastic cards in large quantities.




## Increased productivity

- With a feed tray and stacker capacity of 500 cards each, the Quantum printer **can deliver more than 1000 cards per hour in monochrome and 150 cards in color.**
- Thanks to reversible encoding module (magnetic stripes, contact smart cards and contactless cards) independent from the print module, the cards are **encoded and printed in a single pass.**



## Enhanced versatility

- Quantum has been designed to be **personalized on-site**, directly by the user. For instance, you can add or reverse an encoder very easily and quickly.
- The card production system **adapts to your evolutive needs:** single or dual sided printing, diverse encoding modules, printing options and plastic card types available.




## QUANTUM

- Ergonomic and wide opening systems with doors for an easy and quick card loading
- Reversible upper and lower encoding unit for magnetic stripes and contact smart cards



## Economic solution

- Quantum can handle **large volumes of cards** with **very high print quality**, providing a very economical alternative to industrial card printers.
- You can **control your costs** and produce your cards yourself instead of having to go to an outside provider.



- Interchangeable input & output hoppers (500 cards each)
- Large ribbon capacity
- Connecting panel & mounting area for users own integration of encoding units

# Main Features

Full technical specifications  
on [www.evolis.com](http://www.evolis.com)

## General features

- 2 configurations:
  - Standard version without locking mechanism
  - Version with centralized locking system
- Direct-to-card dye-sublimation/Resin thermal transfer
- Single-sided and dual-sided printing module
- Edge-to-edge printing
- 300 dpi print head (11.8 dots/mm)
- 16 MB memory (RAM) allowing two card storages (front & back)
- Interchangeable input and output hoppers, capacity of 500 cards each (0.76 mm - 30 mil)
- Aluminum body, black plastic covers

## Additional encoding modules

- Reversible upper and lower encoding unit for magnetic stripes and contact smart cards (patented)
- HiCo/LoCo magnetic stripe encoder ISO 7811 or JIS2
- Smart contact station – ISO 7816-2
- Connecting panel and mounting area for users own integration of encoding units
- Encoding options:
  - Smart encoding unit – PC/SC, EMV 2000-1
  - Contactless encoding unit - ISO14443A & B, MIFARE, DESFire, HID iCLASS
  - Other types upon request

## Safety

- Centralized locking system (optional) to secure access to the whole system (incl. cards and ribbon)

## Display

- 2-line LCD display
- Status LED for printer and encoding unit monitoring

## Card management and specifications

- Detachable and interchangeable card input feeder and output stacker with 500 cards capacity (0.76 mm - 30 mil)
- Reject hopper for defective cards with a capacity of 20 cards (0.76mm - 30mil)
- Detachable hopper (long or short doors) with a capacity of 500 cards (0.76 mm - 30 mil) as an option
- Card types: PVC cards, composite PVC cards, PET cards, ABS cards<sup>1</sup>, special varnished cards<sup>1</sup>
- Card format: ISO CR80 - ISO 7810 (53.98 mm x 85.60 mm)
- Thickness: 0.76mm to 1mm (30 to 40 mil)

## Additional pack offer

- Quantum Production Pack: 1 detachable card hopper with short door, 2 cleaning rollers, 1 cleaning kit
- Quantum Backup Pack: 1 print head, 1 reversible encoding module, 1 detachable card hopper with short door

## Printing performances<sup>2</sup>

- Single side:
  - Color (YMCKO): 150 cards/hour
  - Monochrome: 1000 cards/hour
- Dual side:
  - Color (YMCKO-K): 115 cards/hour
  - Monochrome: 320 cards/hour

## Interfaces

- USB (1.0, 1.1, 2.0, 3.0), cable supplied
- Ethernet TCP-IP 10BaseT, 100BaseT (Traffic Led)

## Evolis High Trust<sup>®</sup> ribbons

To maximize the quality and durability of printed cards, the lifespan of the print head and the overall printer reliability, use Evolis High Trust<sup>®</sup> ribbons.

- Ribbon saver for monochrome printing

List of ribbons available on [www.evolis.com](http://www.evolis.com)

## Software & Applications



- CardPresso XXS for designing and printing badges. Compatible for Windows<sup>®</sup> and Mac.

OS compatibility details available on [www.cardpresso.com](http://www.cardpresso.com)

- Drivers for Windows<sup>®</sup>, Mac OS and Linux.

OS compatibility details available on [www.evolis.com](http://www.evolis.com)

## Certifications and statement of compliance

- RoHS
- CE, FCC, VCCI, ICES
- EAC<sup>2</sup>

## Size and weight

- Size (H x W x D):
  - Without hoppers: 215 x 300 x 850 mm (8.46" x 11.81" x 33.46")
  - With hoppers: 567 x 300 x 850 mm (22.32" x 11.81" x 33.46")
- Weight: 21.7 kg / 47.8 lbs (18.3 kg / 40.3 lbs without hoppers)

## Warranty

- 1-year warranty (printer and print head) limited to 500,000 insertions<sup>3</sup>
- Warranty extension available as an option

<sup>1</sup> Under specific conditions / <sup>2</sup> Depending on the printer model / <sup>3</sup> Warranty subject to observance of specific conditions and use of Evolis High Trust<sup>®</sup> ribbons. An insertion is equivalent to printing a card on one side, or encoding it.





# evolIS

Identify what matters

## A GLOBAL PROVIDER OF IDENTIFICATION SOLUTIONS

- ◎ **Worldwide leader** in card personalization systems for decentralized issuance
- ◎ **International expertise and local support** through a network of 400 distributors in 140 countries
- ◎ A unique ability to meet specific customer specifications with a **Project department dedicated to design and construction of tailor-made solutions**
- ◎ **Evolis is ISO 9001 certified**, which reflects our comprehensive approach, both in terms of quality and continuous improvement

[www.evolis.com](http://www.evolis.com)

### HQ / EUROPE - MIDDLE-EAST - AFRICA

Evolis - 14 avenue de la Fontaine - ZI Angers-Beaucouzé  
49070 - Beaucouzé - FRANCE  
T +33 (0) 241 367 606 - F +33 (0) 241 367 612 - [info@evolis.com](mailto:info@evolis.com)

### USA - CANADA

Evolis Inc. - Providence - RI - USA - [evolisinc@evolis.com](mailto:evolisinc@evolis.com)

### LATIN AMERICA

Evolis Inc. - Fort Lauderdale - FL - USA - [evolisinc@evolis.com](mailto:evolisinc@evolis.com)

### ASIA - PACIFIC

Evolis Asia Pte Ltd - Singapore - [evoliasia@evolis.com](mailto:evoliasia@evolis.com)

### CHINA

Evolis China - Shanghai - [evolischina@evolis.com](mailto:evolischina@evolis.com)

### INDIA

Evolis India - Mumbai - [evolisindia@evolis.com](mailto:evolisindia@evolis.com)